








TECHNICAL SPECIFICATION

Product Code : Brown Fluted
Amfrost Brand
Fluted Film (Brown) ½ inch Line
Horizontal Line
Pet Backing/Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.16mm/160Micron
Privacy: Semi
Visible Light Transmittance:70%
Solar Energy Transmittance:50%
Solar Energy Absorbance:20%
Ultra Violet Transmittance<1%
Glare Reduction: 20%
Total Solar Energy Rejection:30%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : Fluted Small
Amifrost Brand
Fluted Film (White)
Horizontal Line
Pet Backing/Liner
width : 4ft
Roll Length: 45 mtr.
Thickness : 0.16mm/160Micron
Privacy: Semi
Visible Light Transmittance: 70%
Solar Energy Transmittance: 50%
Solar Energy Absorbance: 20%
Ultra Violet Transmittance: <1%
Glare Reduction: 20%
Total Solar Energy Rejection: 30%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : Fluted big
Amfrost Brand
Fluted Film Big 1/2 inch Line
Horizontal Line
Pet Backing/Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.15mm/150Micron
Privacy: Semi
Visible Light Transmittance:70%
Solar Energy Transmittance:50%
Solar Energy Absorabance:20%
Ultra Violet Transmittance<1%
Glare Reduction: 20%
Total Solar Energy Rejection:30%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : White Board Marker Film
Amfrost Brand
White Board Marker Film
Pet Backing/Liner
width : 5ft
Roll Length 60 mtr.
Thickness : 0.16mm/160Micron
Privacy: Semi
Visible Light Transmittance:0%
Solar Energy Transmittance:90%
Solar Energy Absorbance:50%
Ultra Violet Transmittance<1%
Glare Reduction: 20%
Total Solar Energy Rejection:30%

Disclaimer: All values as applied to110 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.

4. WHITE BOARD MARKER FILM-5FT



TECHNICAL SPECIFICATION

Product Code : 007
Amfrosted Brand
Frosted Film
Paper Backing/ Liner
width : 3ft,4ft,5ft
Roll Length 45 mtr.
Thickness : 0.11mm/110micron
Privacy: Semi
Visible Light Transmittance:80%
Solar Energy Transmittance:40%
Solar Energy Absorbance:15%
Ultra Violet Transmittance<1%
Glare Reduction: 20%
Total Solar Energy Rejection:20%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : 008
Amfrost Brand
Frosted Film
Paper Backing/ Liner
width : 3ft,4ft,5ft
Roll Length 45 mtr.
Thickness : 0.13mm/130micron
Privacy: Semi
Visible Light Transmittance:75%
Solar Energy Transmittance:45%
Solar Energy Absorance:18%
U ltra Violet Transmittance<1%
Glare Reduction: 25%
Total Solar Energy Rejection:25%

Disclaimer: All values as applied to 1/16 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : 009
Amfrost Brand
Frosted Film (RAIN FROST)
Paper Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.13mm/130micron
Privacy: Semi
Visible Light Transmittance:60%
Solar Energy Transmittance:45%
Solar Energy Absorbance:18%
Ultra Violet Transmittance<1%
Glare Reduction: 25%
Total Solar Energy Rejection:25%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.




ARCHITECTURAL

GLASS FILM CATALOGUE

Page No.- 7

7. 009-4FT



TECHNICAL SPECIFICATION

Product Code : 010
Amfrost Brand
Frosted Film (PLAIN MILKY FROSTED)
Paper Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.13mm/130micron
Privacy: Semi
Visible Light Transmittance:60%
Solar Energy Transmittance:45%
Solar Energy Absorbance:18%
U tra Violet Transmittance<1%
Glare Reduction: 25%
Total Solar Energy Rejection:25%


Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : 011
Amfrost Brand
Frosted Film (SILVER FROST)
Paper Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.13mm/130micron
Privacy: Semi
Visible Light Transmittance:60%
Solar Energy Transmittance:45%
Solar Energy Absorbance:18%
Ultra Violet Transmittance<1%
Glare Reduction: 25%
Total Solar Energy Rejection:25%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Results are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : 014
Amfrost Brand
Frosted Film (Milky White)
Paper Backing/ Liner
width : 3ft,4ft,5ft
Roll Length 45 mtr.
Thickness : 0.12mm/120micron
Privacy: Semi
Visible Light Transmittance:66%
Solar Energy Transmittance:55%
Solar Energy Absorbance:20%
U ltra Violet Transmittance<1%
Glare Reduction: 25%
Total Solar Energy Rejection:34%


Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : 005A
Amfrost Brand
Frosted Film (BROWN)
Paper Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.13mm/130micron
Privacy: Semi
Visible Light Transmittance:75%
Solar Energy Transmittance:45%
Solar Energy Absorbance:18%
Ultra Violet Transmittance<1%
Glare Reduction: 25%
Total Solar Energy Rejection:25%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : 005B
Amfrost Brand
Frosted Film (BLUE)
Paper Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.13mm/130micron
Privacy: Semi
Visible Light Transmittance:75%
Solar Energy Transmittance:45%
Solar Energy Absorbance:18%
U ltra Violet Transmittance<1%
Glare Reduction: 25%
Total Solar Energy Rejection:25%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : ML9001
Amfrostr Brand
Metallic Geometrical Design
Horizontal Line
Pet Backing/ Liner
width : 5ft
Roll Length 45 mtr.
Thickness : 0.05mm/50micron
Privacy: Semi
Visible Light Transmittance:90%
Solar Energy Transmittance:70%
Solar Energy Absorabance:10%
Ultra Violet Transmittance<1%
Glare Reduction:10%
Total Solar Energy Rejection:10%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : ML9006
Amfrost Brand
Metallic Line (5mm metallic line & 5mm clear)
Horizontal Line
Pet Backing/ Liner
width : 5ft
Roll Length 45 mtr.
Thickness : 0.05mm/50micron
Privacy: Semi
Visible Light Transmittance:90%
Solar Energy Transmittance:70%
Solar Energy Absorbance:10%
Ultra Violet Transmittance<1%
Glare Reduction:10%
Total Solar Energy Rejection:10%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : ML9008
Amfrost Brand
Metallic hair Line Design
Horizontal Line
Pet Backing/ Liner
width : 5ft
Roll Length 45 mtr.
Thickness : 0.05mm/50micron
Privacy: Semi
Visible Light Transmittance:90%
Solar Energy Transmittance:70%
Solar Energy Absorbance:10%
Ultra Violet Transmittance<1%
Glare Reduction: 10%
Total Solar Energy Rejection:10%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : ML035
Amfroast Brand
Metallic waves design
Horizontal
Pet Backing/ Liner
width : 5ft
Roll Length 45 mtr.
Thickness : 0.06mm/60micron
Privacy: Semi
Visible Light Transmittance: 90%
Solar Energy Transmittance: 70%
Solar Energy Absorance: 10%
Ultra Violet Transmittance<1%
Glare Reduction: 10%
Total Solar Energy Rejection:10%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : ML9040
Amfrost Brand
Fabric Design
Horizontal Line
Pet Backing/ Liner
width : 5ft
Roll Length 45 mtr.
Thickness : 0.05mm/50micron
Privacy: Semi
Visible Light Transmittance:90%
Solar Energy Transmittance:70%
Solar Energy Absorbance:10%
Ultra Violet Transmittance<1%
Glare Reduction: 10%
Total Solar Energy Rejection:10%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : ML9100
Amfrost Brand
Waves on frosted design
Horizontal
Pet Backing/ Liner
width : 5ft
Roll Length 45 mtr.
Thickness : 0.05mm/50micron
Privacy: Semi
Visible Light Transmittance:50%
Solar Energy Transmittance:40%
Solar Energy Absorbance:25%
Ultra Violet Transmittance<1%
Glare Reduction: 20%
Total Solar Energy Rejection:30%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : AM102
Amfrost Brand
Frosted Sparkle
Paper Backing/ Liner
width : 4ft,5ft
Roll Length 45 mtr.
Thickness : 0.13mm/130micron
Privacy: Semi
Visible Light Transmittance:50%
Solar Energy Transmittance:40%
Solar Energy Absorbance:25%
Ultra Violet Transmittance<1%
Glare Reduction: 20%
Total Solar Energy Rejection: 30%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : AM103-PAPER
Amfrost Brand
Glitter sparkle
Paper Backing/ Liner
width : 4ft,5ft
Roll Length 45 mtr.
Thickness : 0.13mm/130micron
Privacy: Semi
Visible Light Transmittance:50%
Solar Energy Transmittance:40%
Solar Energy Absorbance:25%
Ultra Violet Transmittance<1%
Glare Reduction: 20%
Total Solar Energy Rejection:30%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : AM103-PET
 Antifrost Brand
 Glitter sparkle
 Pet Backing/ Liner
 width : 4ft
 Roll Length 45 mtr.
 Thickness : 0.09mm/90micron
 Privacy: Semi
 Visible Light Transmittance:50%
 Solar Energy Transmittance:40%
 Solar Energy Absorbance:25%
 Ultra Violet Transmittance<1%
 Glare Reduction: 20%
 Total Solar Energy Rejection:30%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
 Tests are representative of actual production
 & may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : AM104
Amfrost Brand
Frosted White Sparkle
Paper Backing/ Liner
width : 4ft, 5ft
Roll Length 45 mtr.
Thickness : 0.13mm/130micron
Privacy: Semi
Visible Light Transmittance: 50%
Solar Energy Transmittance: 40%
Solar Energy Absorbance: 25%
Ultra Violet Transmittance: 1%
Glare Reduction: 20%
Total Solar Energy Rejection: 30%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : AM105
Amfrost Brand
Silver sparkle
Paper Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.14mm/140micron
Privacy: Semi
Visible Light Transmittance:50%
Solar Energy Transmittance:40%
Solar Energy Absorbance:25%
Ultra Violet Transmittance<1%
Glare Reduction: 20%
Total Solar Energy Rejection:30%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : MT01
Amfrost Brand
Metallic Line
Horizontal Line
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.14mm/140micron
Privacy: Semi
Visible Light Transmittance:55%
Solar Energy Transmittance:65%
Solar Energy Absorbance:28%
Ultra Violet Transmittance<1%
Glare Reduction: 35%
Total Solar Energy Rejection: 35%



Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : MT02
Amfrost Brand
Metallic Small Line
Horizontal Line
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.14mm/140micron
Privacy: Semi
Visible Light Transmittance:55%
Solar Energy Transmittance:65%
Solar Energy Absorbance:28%
Ultra Violet Transmittance<1%
Glare Reduction: 35%
Total Solar Energy Rejection: 35%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : MT03
Amfrost Brand
Metallic Line
Horizontal Line
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.06mm/60micron
Privacy: Semi
Visible Light Transmittance:55%
Solar Energy Transmittance:65%
Solar Energy Absorbance:28%
Ultra Violet Transmittance<1%
Glare Reduction: 35%
Total Solar Energy Rejection: 35%

Disclaimer: All values as applied to 1/10 inch clear plate glass
Tests are representative of actual production
& may vary from batch to batch.







TECHNICAL SPECIFICATION

Product Code : MT04
Amfrost Brand
Metallic Abstract Design
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.06mm/60micron
Privacy: Semi
Visible Light Transmittance:55%
Solar Energy Transmittance:65%
Solar Energy Absorbance:28%
Ultra Violet Transmittance<1%
Glare Reduction: 35%
Total Solar Energy Rejection: 35%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.






AMCOR
INTERNATIONAL
Design Excellence

ARCHITECTURAL
GLASS FILM CATALOGUE

Page No.-29

29. MT04-4FT



TECHNICAL SPECIFICATION

Product Code : F003
Amifrost Brand
Square Frost Box (4 cent.4mm box & 10mm clear gap)
Pet Backing/ Liner
width : 5ft
Roll Length 60 mtr.
Thickness : 0.05mm/50micron
Privacy: Semi
Visible Light Transmittance:45%
Solar Energy Transmittance:65%
Solar Energy Absorbance:30%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 28%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : F004
Amfrost Brand
Frosted Line (4mm frost line & 4mm clear line)
Horizontal Line
Pet Backing/ Limer
width : 5ft
Roll Length 60 mtr.
Thickness : 0.05mm/50micron
Privacy: Semi
Visible Light Transmittance:45%
Solar Energy Transmittance:65%
Solar Energy Absorance:30%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 28%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : F005
Amfrost Brand
Frosted Line (10mm frost line & 4mm gap)
Horizontal Line
Pet Backing/ Liner
width : 5ft
Roll Length 60 mtr.
Thickness : 0.04mm/40micron
Privacy: Semi
Visible Light Transmittance:45%
Solar Energy Transmittance:65%
Solar Energy Absorbance:30%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 28%

Disclaimer: All values are applied to 1/16 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : F006
Amfrost Brand
Frosted Line (3cent. 5mm frost line & 10mm clear)
Horizontal Line
Pet Backing/ Liner
width : 5ft
Roll Length 60 mtr.
Thickness : 0.05mm/50micron
Privacy: Semi
Visible Light Transmittance:45%
Solar Energy Transmittance:65%
Solar Energy Absorbance:30%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 28%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : E001
Amfrost Brand
Linen Design
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.08mm/80micron
Privacy: Semi
Visible Light Transmittance:50%
Solar Energy Transmittance:65%
Solar Energy Absorbance:40%
Ultra Violet Transmittance<1%
Glare Reduction: 35%
Total Solar Energy Rejection: 38%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : E002
Amfrost Brand
Designer Horizontal Line
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr
Thickness : 0.08mm/80micron
Privacy: Semi
Visible Light Transmittance: 50%
Solar Energy Transmittance: 65%
Solar Energy Absorbance: 40%
Ultra Violet Transmittance < 1%
Glare Reduction: 35%
Total Solar Energy Rejection: 38%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.

35. E002 (HORIZONTAL LINE)-4FT



TECHNICAL SPECIFICATION

Product Code : E003
Amfrost Brand
Horizontal Line
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.08mm/80micron
Privacy: Full
Visible Light Transmittance:95%
Solar Energy Transmittance:45%
Solar Energy Absorance:10%
Ultra Violet Transmittance<1%
Glare Reduction: 25%
Total Solar Energy Rejection: 15%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Results are representative of actual production
& may vary from batch to batch.

36. E003 (HORIZONTAL LINE)-4FT



TECHNICAL SPECIFICATION

Product Code : E004
Amfrost Brand
Linen Design Black
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.08mm/80micron
Privacy: Semi
Visible Light Transmittance:50%
Solar Energy Transmittance:65%
Solar Energy Absorance:40%
Ultra Violet Transmittance<1%
Glare Reduction: 35%
Total Solar Energy Rejection: 38%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.







TECHNICAL SPECIFICATION

Product Code : E005
 Amfrost Brand
 Horizontal Line
 Pet Backing/ Liner
 width : 4ft
 Roll Length 45 mtr.
 Thickness : 0.08mm/80micron
 Privacy: Full
 Visible Light Transmittance:95%
 Solar Energy Transmittance:45%
 Solar Energy Absorbance:10%
 Ultra Violet Transmittance:1%
 Glare Reduction: 25%
 Total Solar Energy Rejection: 15%

Disclaimer: All values are applied to 1/10 inch clear plate glass.
 Tests are representative of actual production
 & may vary from batch to batch.



ARCHITECTURAL
GLASS FILM CATALOGUE

Page No.-38

38. E005(HORIZONTAL LINE)-4FT



TECHNICAL SPECIFICATION

Product Code : E049
Amfro Brand
Vertical Blind Design (2 inch)
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.09mm/90micron
Privacy: Semi
Visible Light Transmittance:60%
Solar Energy Transmittance:75%
Solar Energy Absorbance:50%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 35%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : E075
Amfrost Brand
11mm White Line & 8mm frost
Vertical Line
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.07mm/70micron
Privacy: Semi
Visible Light Transmittance:50%
Solar Energy Transmittance:65%
Solar Energy Absorabance:40%
Ultra Violet Transmittance<1%
Glare Reduction: 35%
Total Solar Energy Rejection: 38%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : E092
Amifrost Brand
Rice Paper Design (frost)
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.11mm/110micron
Privacy: Semi
Visible Light Transmittance:60%
Solar Energy Transmittance:75%
Solar Energy Absorance:50%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 35%


Disclaimer: All values as applied to 1/16 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : E093
Amfrost Brand
White Linen Design (frost)
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.10mm/110micron
Privacy: Semi
Visible Light Transmittance:60%
Solar Energy Transmittance:75%
Solar Energy Absorbance:50%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 35%

Disclaimer: All values as applied to 1/16 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : E101
Amfrost Brand
Wide Linen Design
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.10mm/110micron
Privacy: Semi
Visible Light Transmittance:60%
Solar Energy Transmittance:75%
Solar Energy Absorbance:50%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 35%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : E116
Amfrost Brand
Frosted Abstract Line
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.08mm/80micron
Privacy: Semi
Visible Light Transmittance:60%
Solar Energy Transmittance:75%
Solar Energy Absorbance:50%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 35%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : E117
Amfrost Brand
Horizontal Blind Design (3/4 inch)
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.09mm/90micron
Privacy: Semi
Visible Light Transmittance:60%
Solar Energy Transmittance:75%
Solar Energy Absorbance:50%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 35%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.

45. E117(HORIZONTAL LINE)-4FT



TECHNICAL SPECIFICATION

Product Code : E012
Amfrost Brand
Square (2 centimeter)
Pet Backing/ Liner
width : 4ft & 5ft
Roll Length 45 mtr.
Thickness : 0.08mm/80micron
Privacy: Semi
Visible Light Transmittance:60%
Solar Energy Transmittance:75%
Solar Energy Absorabance:50%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 35%

Disclaimer: All values are applied to 5/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : E012A
Amfro Brand
Square (2 centimeter)
Pet Backing/ Liner
width : 39"inch
Roll Length 60 mtr.
Thickness : 0.2mm/20micron
Privacy: Semi
Visible Light Transmittance:45%
Solar Energy Transmittance:50%
Solar Energy Absorbance:35%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 35%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : E040
Amfrost Brand
White Square Frost gap (3 centimeter square)
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.12mm/120micron
Privacy: Semi
Visible Light Transmittance:45%
Solar Energy Transmittance:50%
Solar Energy Absorbance:35%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 35%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.




ARCHITECTURAL

GLASS FILM CATALOGUE

Page No.-48


48. E040-4FT



TECHNICAL SPECIFICATION

Product Code : E040B
Amfrost Brand
White Square Transparent gap (3 centimeter square)
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.02mm/20micron
Privacy: Semi
Visible Light Transmittance:45%
Solar Energy Transmittance:50%
Solar Energy Absorbance:35%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 35%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : E042
Amfrost Brand
White Line Frost gap (1 inch Line & 7mm gap)
Horizontal Line
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.08mm/80micron
Privacy: Semi
Visible Light Transmittance:45%
Solar Energy Transmittance:50%
Solar Energy Absorbance:35%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 35%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.








ARCHITECTURAL

GLASS FILM CATALOGUE

TECHNICAL SPECIFICATION

Product Code : E042B
 Amfrost Brand
 White Line & Clear gap (1 inch line and 7mm gap)
 Horizontal Line
 Pet Backing/ Liner
 width : 3ft,4ft,5ft
 Roll Length 45 mtr.
 Thickness : 0.08mm/80micron
 Privacy: Semi
 Visible Light Transmittance:45%
 Solar Energy Transmittance:50%
 Solar Energy Absorbance:35%
 Ultra Violet Transmittance<1%
 Glare Reduction: 30%
 Total Solar Energy Rejection: 35%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
 Tests are representative of actual production
 & may vary from batch to batch.



AMCOR
INTERNATIONAL
Design Excellence

Page No.-51


51. E042B-3FT,4FT,5FT



TECHNICAL SPECIFICATION

Product Code : E072B
Amfrost Brand
Pet Backing/ Liner
1 inch Line 5mm clear
Horizontal Line
width : 4ft
Roll Length 45 mtr.
Thickness : 0.08mm/80 micron
Privacy: Semi
Visible Light Transmittance:95%
Solar Energy Transmittance:45%
Solar Energy Absorbtance:10%
Ultra Violet Transmittance<1%
Glare Reduction: 25%
Total Solar Energy Rejection: 15%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : E073B
Amfrost Brand
5 mm White Line & 5 mm Clear Line
Horizontal Line
Pet Backing/ Liner
width : 4ft & 5ft
Roll Length 45 mtr.
Thickness : 0.07mm/70micron
Privacy: Semi
Visible Light Transmittance:45%
Solar Energy Absorbance:50%
Solar Energy Absorbance:35%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 35%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : E074B
Amfrost Brand
10 mm White Line & 5 mm Clear Line
Horizontal Line
Pet Backing/ Liner
width : 4ft & 5ft
Roll Length 45 mtr.
Thickness : 0.07mm/70micron
Privacy: Semi
Visible Light Transmittance:45%
Solar Energy Transmittance:50%
Solar Energy Absorbance:35%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 35%

Disclaimer: All values are applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : E092B
Amfrost Brand
Rice Paper Design (Transparent)
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.8mm/80micron
Privacy: Full
Visible Light Transmittance:95%
Solar Energy Transmittance:45%
Solar Energy Absorbance:10%
Ultra Violet Transmittance<1%
Glare Reduction: 25%
Total Solar Energy Rejection: 15%

Disclaimer: All values are applied to 1/10 inch clear plate glass.
Tints are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : E145B
Amfrost Brand
White Big Leaf Design (Transparent)
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.08mm/80micron
Privacy: Full
Visible Light Transmittance:95%
Solar Energy Transmittance:45%
Solar Energy Absorbance:10%
Ultra Violet Transmittance<1%
Glare Reduction: 25%
Total Solar Energy Rejection: 15%


Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : E147B
Amfrost Brand
White Flower Design (Transparent)
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.08mm/80micron
Privacy: Full
Visible Light Transmittance:95%
Solar Energy Transmittance:45%
Solar Energy Absorbance:10%
Ultra Violet Transmittance<1%
Glare Reduction: 25%
Total Solar Energy Rejection: 15%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : E169B
Amfrost Brand
White Dot Design (Transparent)
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.08mm/80micron
Privacy: Full
Visible Light Transmittance:95%
Solar Energy Transmittance:45%
Solar Energy Absorbance:10%
Ultra Violet Transmittance<1%
Glare Reduction: 25%
Total Solar Energy Rejection: 15%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : SP01- Small
Amfrost Brand
Sparkle Line 10mm Line
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.12mm/120micron
Privacy: Semi
Visible Light Transmittance:45%
Solar Energy Transmittance:50%
Solar Energy Absorbance<35%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 35%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.

SP01
Horizontal Lining Sparkle Half Inch



SP01



TECHNICAL SPECIFICATION

Product Code : SP01- Big
Amfrost Brand
Sparkle Line Half Inch (0.5 inch)
Horizontal Line
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.10mm/100micron
Privacy: Semi
Visible Light Transmittance:45%
Solar Energy Transmittance:50%
Solar Energy Absorbance:35%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 35%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : SP02
Amfrost Brand
Sparkle Line One Inch (1"inch)
Horizontal Line
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.12mm/120micron
Privacy: Semi
Visible Light Transmittance:45%
Solar Energy Transmittance:35%
Solar Energy Absorbance:35%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 35%

Disclaimer: All values are applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : SP09
Amfrost Brand
Sparkle Squares (2 centimeter)
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.12mm/120micron
Privacy: Semi
Visible Light Transmittance:45%
Solar Energy Transmittance:50%
Solar Energy Absorbance:35%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 35%


Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : SP13
Amfrost Brand
Sparkle Mini Line (5mm sparkle line & 2mm clear)
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.12mm/120micron
Privacy: Semi
Visible Light Transmittance:45%
Solar Energy Transmittance:50%
Solar Energy Absorbance:35%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 35%



Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : SP20
Amfrost Brand
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.12mm/120micron
Privacy: Semi
Visible Light Transmittance:45%
Solar Energy Transmittance:50%
Solar Energy Absorbance:35%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 35%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : 701
Amfrost Brand
Sparkle Square (1"inch By 1"inch)
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.09mm/90micron
Privacy: Semi
Visible Light Transmittance:45%
Solar Energy Transmittance:50%
Solar Energy Absorance:35%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 35%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : 703
Amfrost Brand
Sparkle Rhombus
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.09mm/90micron
Privacy: Semi
Visible Light Transmittance:45%
Solar Energy Transmittance:50%
Solar Energy Absorbance:35%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 35%

Disclaimer: All values as applied to 1/16 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : S018
Amfrost Brand
Overlapping Rectangles
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.10mm/100micron
Privacy: Semi
Visible Light Transmittance:55%
Solar Energy Transmittance:45%
Solar Energy Absorbance<45%
Ultra Violet Transmittance<1%
Glare Reduction: 35%
Total Solar Energy Rejection: 40%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : S019
Amfrost Brand
Silver Circles
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.10mm/110micron
Privacy: Semi
Visible Light Transmittance:55%
Solar Energy Transmittance:45%
Solar Energy Absorbance:45%
Ultra Violet Transmittance<1%
Glare Reduction: 35%
Total Solar Energy Rejection: 40%


Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : S020
Amfrost Brand
Silver Kites
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.10mm/100micron
Privacy: Semi
Visible Light Transmittance:55%
Solar Energy Transmittance:45%
Solar Energy Absorbance:45%
Ultra Violet Transmittance<1%
Glare Reduction: 35%
Total Solar Energy Rejection: 40%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : S028
Amfrost Brand
Silver Lines
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.06mm/60micron
Privacy: Semi
Visible Light Transmittance:55%
Solar Energy Transmittance:45%
Solar Energy Absorbance<1%
Ultra Violet Transmittance<1%
Glare Reduction: 35%
Total Solar Energy Rejection: 40%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : D021G
Amfrost Brand
Frosted Waves
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.17mm/170micron
Privacy: Semi
Visible Light Transmittance:30%
Solar Energy Transmittance:45%
Solar Energy Absorance:45%
Ultra Violet Transmittance<1%
Glare Reduction: 35%
Total Solar Energy Rejection: 60%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : D101G
Amfrost Brand
Frosted Zig Zag
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.15mm/150micron
Privacy: Semi
Visible Light Transmittance:30%
Solar Energy Transmittance:45%
Solar Energy Absorbance:45%
Ultra Violet Transmittance<1%
Glare Reduction: 35%
Total Solar Energy Rejection: 60%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : D401G
Amfrost Brand
White Strips (Horizontal)
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.13mm/130micron
Privacy: Semi
Visible Light Transmittance:75%
Solar Energy Transmittance:45%
Solar Energy Absorabance:18%
Ultra Violet Transmittance<1%
Glare Reduction: 25%
Total Solar Energy Rejection: 25%


Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : R044
Amfrost Brand
Water Drops
Pet Backing/ Liner
width : 5ft
Roll Length 45 mtr.
Thickness : 0.07mm/70micron
Privacy: Semi
Visible Light Transmittance:50%
Solar Energy Transmittance:45%
Solar Energy Absorbance:45%
Ultra Violet Transmittance<1%
Glare Reduction: 35%
Total Solar Energy Rejection: 45%


Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : AMBK01
Amfrost Brand
Black (1% Visibility)
SRC FILM
Pet Backing/ Liner
width : 5ft
Roll Length 60 mtr.
Thickness : 0.03mm/30micron
Privacy: Semi
Visible Light Transmittance:1%
Solar Energy Transmittance:45%
Solar Energy Absorbance:65%
Ultra Violet Transmittance<1%
Glare Reduction: 93%
Total Solar Energy Rejection: 55%


Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : AMBK05
Amfrost Brand
Z Black (5% Visibility)
SRC FILM
Pet Backing/ Liner
width : 5ft
Roll Length 60 mtr.
Thickness : 0.03mm/30micron
Privacy: Semi
Visible Light Transmittance:6%
Solar Energy Transmittance:45%
Solar Energy Absorbance:48%
Ultra Violet Transmittance<1%
Glare Reduction: 93%
Total Solar Energy Rejection: 42%


Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : AMBL05
Amfrost Brand
Z Black- Grey Color (5% Visibility)
SRC FILM
Pet Backing/ Liner
width : 5ft
Roll Length 60 mtr.
Thickness : 0.03mm/30micron
Privacy: Semi
Visible Light Transmittance:6%
Solar Energy Transmittance:45%
Solar Energy Absorabance:48%
Ultra Violet Transmittance<1%
Glare Reduction: 93%
Total Solar Energy Rejection: 42%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : AMBK20
Amfrostr Brand
Black (20% Visibility)
SRC FILM
Pet Backing/ Liner
width : 5ft
Roll Length 60 mtr.
Thickness : 0.03mm/30micron
Privacy: Semi
Visible Light Transmittance:21%
Solar Energy Transmittance:45%
Solar Energy Absorbance:49%
Ultra Violet Transmittance<1%
Glare Reduction: 77%
Total Solar Energy Rejection: 42%


Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : AMBK35
Amfrostr Brand
Black- (35% Visibility)
SRC FILM
Pet Backing/ Liner
width : 5ft
Roll Length 60 mtr.
Thickness : 0.03mm/30micron
Privacy: Semi
Visible Light Transmittance:35%
Solar Energy Transmittance:53%
Solar Energy Absorbance:40%
Ultra Violet Transmittance<1%
Glare Reduction: 62%
Total Solar Energy Rejection: 36%


Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : AMBK50
Amfrost Brand
Black (50% Visibility)
SRC FILM
Pet Backing/ Liner
width : 5ft
Roll Length 60 mtr.
Thickness : 0.03mm/30micron
Privacy: Semi
Visible Light Transmittance:51%
Solar Energy Transmittance:60%
Solar Energy Absorbance:33%
Ultra Violet Transmittance<1%
Glare Reduction: 44%
Total Solar Energy Rejection: 31%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : AMBK70
Amfro Brand
Black- (70% Visibility)
SRC FILM
Pet Backing/ Liner
width : 5ft
Roll Length 60 mtr.
Thickness : 0.03mm/30micron
Privacy: Semi
Visible Light Transmittance:70%
Solar Energy Transmittance:70%
Solar Energy Absorbance:21%
Ultra Violet Transmittance<1%
Glare Reduction: 23%
Total Solar Energy Rejection: 24%

Disclaimer: All values are applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : AMSL20
Amfrost Brand
Silver Reflective (20% Visibility)
SRC FILM
Pet Backing/ Liner
width : 5ft
Roll Length 60 mtr.
Thickness : 0.05mm/50micron
Privacy: Semi
Visible Light Transmittance:18%
Solar Energy Transmittance:13%
Solar Energy Absorance:34%
Ultra Violet Transmittance<1%
Glare Reduction: 80%
Total Solar Energy Rejection: 78%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : AMGR
Amfrost Brand
Green Reflective (20% Visibility)
SRC FILM
Pet Backing/ Liner
width : 5ft
Roll Length 60 mtr.
Thickness : 0.06mm/60micron
Privacy: Semi
Visible Light Transmittance:18%
Solar Energy Transmittance:13%
Solar Energy Absorance:34%
Ultra Violet Transmittance<1%
Glare Reduction: 80%
Total Solar Energy Rejection: 78%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : AMBU
Amfrost Brand
Blue Reflective (20% Visibility)
SRC FILM
Pet Backing/ Liner
width : 5ft
Roll Length 60 mtr.
Thickness : 0.05mm/60micron
Privacy: Semi
Visible Light Transmittance:18%
Solar Energy Transmittance:13%
Solar Energy Absorbance:34%
Ultra Violet Transmittance<1%
Glare Reduction: 80%
Total Solar Energy Rejection: 78%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : AMBR
Amfrost Brand
Brown Reflective (20% Visibility)
SRC FILM
Pet Backing/ Liner
width : 5ft
Roll Length 60 mtr.
Thickness : 0.06mm/60micron
Privacy: Semi
Visible Light Transmittance:18%
Solar Energy Transmittance:13%
Solar Energy Absorbance:34%
Ultra Violet Transmittance<1%
Glare Reduction: 80%
Total Solar Energy Rejection: 78%


Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : AMLBK
Amfrost Brand
Black Reflective (20% Visibility)
SRC FILM
Pet Backing/ Liner
width : 5ft
Roll Length 60 mtr.
Thickness : 0.06mm/60micron
Privacy: Semi
Visible Light Transmittance:18%
Solar Energy Transmittance:13%
Solar Energy Absorbance:34%
Ultra Violet Transmittance<1%
Glare Reduction: 80%
Total Solar Energy Rejection: 78%


Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : AMGY
Amfrost Brand
Grey Reflective (20% Visibility)
SRC FILM
Pet Backing/ Liner
width : 5ft
Roll Length 60 mtr.
Thickness : 0.06mm/60micron
Privacy: Semi
Visible Light Transmittance:18%
Solar Energy Transmittance:13%
Solar Energy Absorbance:34%
Ultra Violet Transmittance<1%
Glare Reduction: 80%
Total Solar Energy Rejection: 78%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : AMGD
Amfrost Brand
Gold Reflective (20% Visibility)
SRC FILM
Pet Backing/ Liner
width : 5ft
Roll Length 60 mtr.
Thickness : 0.06mm/60micron
Privacy: Semi
Visible Light Transmittance:18%
Solar Energy Transmittance:13%
Solar Energy Absorbance:34%
Ultra Violet Transmittance<1%
Glare Reduction: 80%
Total Solar Energy Rejection: 78%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : AMWM
Amfrost Brand
Matt White
SRC FILM
Pet Backing/ Liner
width : 5ft
Roll Length 60 mtr.
Thickness : 0.06mm/60micron
Privacy: Semi
Visible Light Transmittance:66%
Solar Energy Transmittance:60%
Solar Energy Absorbance:22%
Ultra Violet Transmittance<1%
Glare Reduction: 28%
Total Solar Energy Rejection: 34%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : AMWT
Amfrost Brand
White Out
SRC FILM
Pet Backing/ Liner
width : 5ft
Roll Length 60 mtr.
Thickness : 0.05mm/50micron
Privacy: Semi
Visible Light Transmittance:8%
Solar Energy Transmittance:12%
Solar Energy Absorbance:41%
Ultra Violet Transmittance<1%
Glare Reduction: 91%
Total Solar Energy Rejection: 77%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : AMSF
Amfrost Brand
Safety Film / Clear Film
SRC FILM
Pet Backing/ Liner
width :4MIL, 5ft
Roll Length 60 mtr.
Thickness : 1.00mm/100micron
Tensile Strength At Break (MD/TD) 1900kg/cm2
Elongation At Break MD 150%
Peel Strength 3.275kg/inch
Privacy: Full (Transparent)
Visible Light Transmittance:90%
Ultra Violet Transmittance<1%
Total Solar Energy Rejection: 13%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : AMBOO
Amfrost Brand
Nr Black Out
SRC FILM
Pet Backing/ Liner
width : 5ft
Roll Length 60 mtr.
Thickness : 0.06mm/60micron
Visible Light Transmittance: 0%
Visible Light Reflectance: 5%
Solar Energy Transmittance:0%
Solar Energy Reflectance: 34%
Solar Energy Absorbance:86%
Ultra Violet Transmittance<1%
Total Solar Energy Rejection:82%
Glare Reduction: 100%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : AMOW
Amifrost Brand
ONE WAY VISION
SRC FILM - PRINTABLE
Pet Backing/ Liner
width : 50" (inch)
Roll Length 50 mtr.
Thickness : 0.13mm/130micron
Visible Light Transmittance: 17%
Visible Light Reflectance: 6%
Solar Energy Transmittance:48%
Solar Energy Reflectance: 6%
Solar Energy Absorbance:48%
Ultra Violet Transmittance<1%
Total Solar Energy Rejection:41%
Glare Reduction: 81%

Disclaimer: All values are applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : TPBL
Amfrost Brand
Transparent Blue
Pet Backing/ Liner
width : 5ft
Roll Length 60 mtr.
Thickness: 0.25mm/25micron
Visible Light Transmittance:83%
Visible Light Reflectance:7%
Solar Energy Transmittance:72%
Solar Energy Reflectance:6%
Solar Energy Absorbance:22%
Ultra Violet Transmittance<1%
Total Solar Energy Rejection: 22%
Glare Reduction: 8%


Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : TPRD
Amfrost Brand
Transparent Red
Pet Backing/ Liner
width : 5ft
Roll Length 60 mtr.
Thickness : 0.25mm/25micron
Visible Light Transmittance:83%
Visible Light Reflectance:7%
Solar Energy Transmittance:72%
Solar Energy Reflectance:6%
Solar Energy Absorbance:22%
Ultra Violet Transmittance<1%
Total Solar Energy Rejection: 22%
Glare Reduction: 8%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : TPYL
Amifrost Brand
Transparent Yellow
Pet Backing/ Liner
width : 5ft
Roll Length 60 mtr.
Thickness : 0.25mm/25micron
Visible Light Transmittance:83%
Visible Light Reflectance:7%
Solar Energy Transmittance:72%
Solar Energy Reflectance:6%
Solar Energy Absorbance:22%
Ultra Violet Transmittance<1%
Total Solar Energy Rejection: 22%
Glare Reduction: 8%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : TPGR
Amfrost Brand
Transparent Green
Pet Backing/ Liner
width : 5ft
Roll Length 60 mtr.
Thickness : 0.25mm/25micron
Visible Light Transmittance: 83%
Visible Light Reflectance: 7%
Solar Energy Transmittance: 72%
Solar Energy Reflectance: 6%
Solar Energy Absorbance: 22%
Ultra Violet Transmittance: <1%
Total Solar Energy Rejection: 22%
Glare Reduction: 8%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : TPOR
Amfrost Brand
Transparent Orange
Pet Backing/ Liner
width : 5ft
Roll Length 60 mtr.
Thickness : 0.25mm/25micron
Visible Light Transmittance:83%
Visible Light Reflectance:7%
Solar Energy Transmittance:72%
Solar Energy Reflectance 6%
Solar Energy Absorbance:22%
Ultra Violet Transmittance<1%
Total Solar Energy Rejection: 22%
Glare Reduction: 8%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : AMBT (BROWN TINTED)
Amfrost Brand
Pet Backing/ Liner
width : 5ft
Roll Length 60 mtr.
Thickness : 0.03mm/30micron
Privacy : Semi
Visible Light Transmittance:21%
Solar Energy Transmittance:45%
Solar Energy Absorance:49%
Ultra Violet Transmittance<1%
Glare Reduction :77%
Total Solar Energy Rejection: 42%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : Grey Fluted
Amfroist Brand
Fluted Film Grey Horizontal Line
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr
Thickness : 0.16mm/160micron
Privacy : Semi
Visible Light Transmittance:70%
Solar Energy Transmittance:50%
Solar Energy Absorance:20%
Ultra Violet Transmittance<1%
Glare Reduction: 20%
Total Solar Energy Rejection : 30%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : SP32
Amfrost Brand
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.12mm/120micron
Privacy: Semi
Visible Light Transmittance:45%
Solar Energy Transmittance:50%
Solar Energy Absorbance:35%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 35%


Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : SP35
Amfrost Brand
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.12mm/120micron
Privacy: Semi
Visible Light Transmittance:45%
Solar Energy Transmittance:50%
Solar Energy Absorbance:35%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 35%

Disclaimer: All values are applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : E075
Amfrost Brand
11mm White Line & 8mm frost
Horizontal Line
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.07mm/70micron
Privacy: Semi
Visible Light Transmittance:50%
Solar Energy Transmittance:65%
Solar Energy Absorbance:40%
Ultra Violet Transmittance<1%
Glare Reduction: 35%
Total Solar Energy Rejection: 38%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : SP31
Amfro Brand
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.12mm/120micron
Privacy: Semi
Visible Light Transmittance:45%
Solar Energy Transmittance:50%
Solar Energy Absorbance:35%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 35%


Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : J-01 Gradient Film
Amfrostr Brand
Pet Backing/ Liner
width : 5ft
Roll Length 45 mtr.
Thickness : 0.12mm/120micron
Privacy : Semi
Visible Light Transmittance:45%
Solar Energy Transmittance:50%
Solar Energy Absorbance:35%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 35%


Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : J-02 Gradient Film
Amfrost Brand
Pet Backing/ Liner
width : 5ft
Roll Length 45 mtr.
Thickness : 0.12mm/120micron
Privacy : Semi
Visible Light Transmittance:45%
Solar Energy Transmittance:50%
Solar Energy Absorance:35%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 35%


Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : J-03 Gradient Film
Amfrost Brand
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.12mm/120micron
Privacy : Semi
Visible Light Transmittance:45%
Solar Energy Absorbance:35%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 35%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : SP44
Amfrost Brand
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.12mm/120micron
Privacy: Semi
Visible Light Transmittance:45%
Solar Energy Transmittance:50%
Solar Energy Absorbance:35%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 35%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : SP45
Amfrost Brand
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.12mm/120micron
Privacy: Semi
Visible Light Transmittance:45%
Solar Energy Transmittance:50%
Solar Energy Absorance:35%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 35%

Disclaimer: All values are applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : SP46
Amfrost Brand
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.12mm/120micron
Privacy: Semi
Visible Light Transmittance:45%
Solar Energy Transmittance:50%
Solar Energy Absorbance:35%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 35%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : E401
Amfrost Brand
Red Flower
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness with liner : 0.11mm/110micron
Privacy: Semi
Visible Light Transmittance:60%
Solar Energy Transmittance:75%
Solar Energy Absorbance:50%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 35%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : D007G
Amfrost Brand
Mosaic
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.17mm/170micron
Privacy: Semi
Visible Light Transmittance:30%
Solar Energy Transmittance:45%
Solar Energy Absorbance:45%
Ultra Violet Transmittance<1%
Glare Reduction: 35%
Total Solar Energy Rejection: 60%

Disclaimer: All values are applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : 3D Fluted Big
Amfrost Brand
Pet Backing/ Liner
width : 5ft
Roll Length 45 mtr.
Thickness : 0.13mm/130micron
Privacy: Semi
Visible Light Transmittance:35%
Solar Energy Transmittance:40%
Solar Energy Absorabance:25%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 35%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : 3D Gray Fluted
Amfrost Brand
Pet Backing/ Liner
width : 5ft
Roll Length 45 mtr.
Thickness : 0.13mm/130micron
Privacy: Semi
Visible Light Transmittance:35%
Solar Energy Transmittance:40%
Solar Energy Absorbance:25%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 35%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : 3D Brown Fluted
Amfrost Brand
Pet Backing/ Liner
width : 5ft
Roll Length 45 mtr.
Thickness : 0.13mm/130micron
Privacy: Semi
Visible Light Transmittance:35%
Solar Energy Transmittance:40%
Solar Energy Absorbance:25%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 35%

Disclaimer: All values as applied to 1/10 inch clear plate glass.
Results are representative of actual production
& may vary from batch to batch.



TECHNICAL SPECIFICATION

Product Code : SP34
Amfrostr Brand
Pet Backing/ Liner
width : 4ft
Roll Length 45 mtr.
Thickness : 0.12mm/120micron
Privacy: Semi
Visible Light Transmittance:45%
Solar Energy Transmittance:50%
Solar Energy Absorance:35%
Ultra Violet Transmittance<1%
Glare Reduction: 30%
Total Solar Energy Rejection: 35%

Disclaimer: All values are applied to 1/10 inch clear plate glass.
Tests are representative of actual production
& may vary from batch to batch.